IN THE SPECIFICATION

Please replace paragraph [0013] corresponding to page 3, lines 16-23, with the following new paragraph:

[0013] The closest complex preparation to the present complex preparation—the prototype—is a kit used for treatment of primary liver cancer and comprising doxorubicinestrone in an amount of 20-60 mg in 15 ml vials, Lipiodol ultrafluid in two ampules by 10 ml, AFP in an amount of 2-10 mg in 10 ml vials, physiological salt in volume of 15 ml in an ampule and 96% ethyl alcohol in volume of 5 ml in am ampule (U.S. Pat: Patent Ru 2,065,307, cl. A 61 K 38/17, published Aug. 20, 1996, Bulletin No. 23).

Please replace paragraph [0019] corresponding to page 4, line 10, with the following new paragraph:

[0019] The established object has been achieved by means of hereby proposed method of treatment of malignant neoplasms and a complex preparation having neoplastic activity for use in such treatment.

Please replace paragraph [0024] corresponding to page 4, paragraph 7, with the following new paragraph:

[0024] As a filler sugars are mainly used, for example glucose or synthetic polymers, selected from the group of polysaccharides, for example polyglykine, rheopolyglykine polyglucin, rheopolyglucin and dextran 100.

Please replace paragraph [0025] corresponding to page 5, line 10, with the following new paragraph:

[0025] The complex preparation is obtained as follows: AFP with purity not less than 98% is dissolved in distilled water or physiological salt in an amount of 0.07-0.15 mg/ml, whereto a polyene antibiotic in an amount of 4.2-7.0 mg/ml and then a filler in an amount of 3.5-5.0 mg/ml are added, after that the components are carefully mixed and the resultant mixture is then left to stand at 18-25°C for 10-12 hours. Thereafter the solution is sterilized by filtration, pre-packed in ampules or vials having a capacity of 1.2 or 3 ml and freeze-dried. The mass ratio of AFP, a polyene antibiotic and a filler is 1:(60-100):(50-70) (28-100): (23-71).

Please replace paragraph [0049] corresponding to page 11, first full paragraph (lines 9-12) with the following new paragraph:

[0049] The use of the present method of treatment treatment of malignant neoplasms and the complex preparation having antineoplastic activity, as compared with the known method of treatment and the kit for use in such treatment, enables: